

Sunsail 38 2-Cabin

Specifications and Equipment List - Sunsail Upgrades In Bold

DECK & HULL

- Prisma Process®, ISO gelcoat surface, discontinuous balsa block coring
- Solid, hand-laid fibreglass, ISO gelcoat surface, protective barrier coat
- Inner fibreglass grid, high-load zones, cut out drainage system through structure
- **Sunsail striping and graphics**
- Open bow pulpit (stainless steel)
- Stern pushpits in stainless steel with flag holder, horseshoe buoy with bracket
- **Outboard engine bracket**
- **Double stemhead anchor roller**
- **Double uncoated lifelines (stainless steel) on starboard and port with opening gates**
- Toerail
- 6 x Aluminium mooring cleats
- Handrails on coachroof
- 4 x Fixed hull ports
- 2 x Opening cockpit and roof ports
- 6 x Lateral fixed windows
- 1 x Opening and 1 x fixed ports integrated into lateral windows
- 4 x Opening deck hatches
- Wood inlay on cockpit bench seating
- Cockpit locker under bench seat and lazarette locker under port helm seat
- Lifteraft locker between helm seats
- Storage compartment for companionway door in cockpit locker
- Large opening transom door and aft, fold-down swim platform with ladder
- **Large GRP cockpit table**
- Gas locker in lazarette under starboard helm seat, cut-off valve under stove
- 2 x Steering wheels, (stainless steel) handrail
- 2 x Mounted steering compasses
- Emergency tiller with fitting in cockpit floor
- Throttle and engine control panel mounted at starboard helm, engine panel includes RPM gauge, warning lights, ignition
- Fibreglass rudder
- **Shoal keel**
- **Bimini and dodger**
- **12v - 1000w Electric windlass with 10mm gypsey, hand control wired direct and cockpit chain counter**
- **Transom protection**

SALOON/INTERIOR

- Finished in Fine Teak laminate panels, trimmed in solid wood protected with UV stabilized varnish
- Combination shade/insect screens for deck hatches
- Light oak composite floorboards
- Headroom: 5'11" / 6'4" (1,81m / 1,92m)
- U-shaped seating area to starboard, wrap-around cushions and storage under seating area
- Storage cabinets along hull sides
- Lounge seating to port with plush cushions and upper storage
- **Companionway steps with molded non-slip surface**
- **Hasp on companionway hatch**
- Plexiglass companionway door with dedicated storage location
- **Faux leather saloon cushions**
- **Floor board edges are coated with resin to deter water damage**
- **Mosquito screens for portlights**

GALLEY

- Headroom: 6'2" / 1,88m
- L-shaped galley to starboard with glass separator between galley counter and seating area
- Storage compartment for books and magazines built into the galley façade
- Double stainless steel sinks with covers, solid countertops, chrome plumbing fittings, storage cabinets and drawers
- **ENO 2-burner stove with black finish, wood handle, stainless steel oven/broiler**
- 12v refrigeration in single fridge box (180L / 47USgal) with freezer area, wire baskets and integrated compressor; top opening
- **Propane solenoid cut-off valve**

NAVIGATION CONSOLE

- Full function navigation station with general electrical panel and bookshelf
- Hanging locker

FORWARD CABIN

- Max headroom: 6' / 1,84m
- Double centerline berth with high-density foam mattress
- 2 x Deep cabinets with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf
- 1 x Opening deck hatch, for light and ventilation

AFT CABIN

- Headroom: 6'3" / 1,90m
- Double berth with high-density foam mattress
- Deep cabinet with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf
- 2 x Opening hatches
- Locker and technical compartment with access from cockpit and head, lights and 2 x storage baskets

HEAD

- Solid surface countertop and moulded sink
- **Large bowl electric marine toilet with individual holding tank**
- Clothes hook
- Towel holder
- Toilet paper holder
- Cabinet above sink with mirror
- Stainless steel hanging bar
- Electric drainage pump
- **PMMA shower screen with stainless steel fitting**

PLUMBING INSTALLATION

- **Transom shower with hot and cold water mixer**
- Roto moulded water tank 200L / 87USgal under the forward berth with deck fill
- **Extra fresh water tank 130L / 34USgal**
- Hot and cold water distributed throughout the boat via semi-rigid hose
- Water pump and accumulator tank
- Electric bilge pump on float switch and manual dual-action pump in cockpit
- Digital water level display
- Shower pumps equipped with individual electric pumps with filters and on-off switches
- Bilge pump filter and exhaust
- **40L / 10USgal hot water heater connected to engine heat exchanger and 110v electrical system**

ENGINE & CONTROLS

- **Yanmar 3YM30 29HP diesel engine with sail drive**
- 3-Blade fixed propeller
- Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin
- Fuel/water separator
- Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft
- 1 Rotomoulded diesel tank 130L / 34USgal
- **Racor Fuel filter - clear bowl and metal flame deflector**

MAST, RIGGING & SAILS

- **Custom heavy duty battened charter mainsail**
- **Charter upgrade, heavy duty furling genoa with red UV protection strips**
- **Stackpack LazyJack system in Sunsail blue with logo**
- Harken mainsail traveller with ball-bearing cars and control lines led aft to cockpit
- Genoa tracks on side decks with adjustable lead cars
- Line stoppers on both sides of coachroof with return blocks
- 2 Self-tailing primary sheet winches (H46.2 STA)
- 1 x Self-tailing halyard winches (H35.2 STC)
- 2 x Winch handles
- Running rigging polyester topping lift, main halyard, genoa halyard, mainsheet, genoa sheets, reefing lines
- 2 x Reefing lines
- Mainsheet and genoa sheet led to helm station with stoppers

- **Classic anodized aluminum mast and boom with customized, reinforced fittings and double spreaders**
- Standing rigging is discontinuous wire 1 x 19
- Double backstay
- Rigid boom vang
- **ProFurl furling system**
- **Windex wind vane**

ELECTRICAL INSTALLATION

- 110v / 220v circuit shore power, outlets, distributor - shore power cable wired direct
- 12 x 110v or 220v cabin outlets
- 12v / 125Ah alternator
- Charge distributor/isolator
- 1 x 80ah engine starter battery
- **House battery bank -- 4 AGM batteries totalling 200ah**
- Positive battery switch for engine and house bank in aft cabin
- Electric panel with 12v breakers, 110v or 220v breakers, 12v consumption meter, 12v charging meter
- 12v plug per cabin and at nav station
- **LED lights throughout**
- **Battery charger 60amp**
- **Fusion Radio / Mp3 player + 2 interior speakers + 2 cockpit speakers**
- **LED Navigation lights**
- **1 x USB plug per cabin**
- **Shore power air conditioning**
- **9" Multifunction touchscreen display in cockpit with fixed pod (WIFI enabled)**
- **2 x Tridata**
- **1 x Autopilot control head**
- **Hydraulic linear drive autopilot**
- **Depth sounder & anemometer windvane**
- **Fans in saloon and all cabins**
- **VHF**
- **1 x 50w Solar panel**

SAFETY GEAR

- **Primary (stainless steel) and secondary (galvanized) anchors**
- **6 x Fenders**
- **6 x Mooring / dock lines**
- **Life jackets and safety harnesses per max pax**
- **Bell**
- **Flare Kit**
- **Binoculars**
- **Navigation tools: Parallel rule, compass, dividers**

CRUISING GEAR

- **Plates, cups, saucers, glasses per max pax**
- **Bed linens per max pax**
- **Flatware per max pax**
- **Pots, pans, miscellaneous food prep tools**
- **Cooking and serving utensils**
- **Coffee pot, tea kettle, toaster**
- **Snorkeling gear per max pax**
- **Towels and washcloths**

SPECIFICATIONS

Length Overall: 11.34m/37ft 2in
Waterline Length: 10.40m/35ft 1in
Beam: 3.76m/12ft 4in
Draft: 1.50m/4ft 11in
Displacement: 6280kg/13845lb
Fuel Capacity: 130L/34gal
Water Capacity: 330L/87gal
Sail Area: 70sqm/754sqft
Engines: 29hp

