

Sunsail 41

Specifications and Equipment List - Sunsail Upgrades In Bold

DECK & HULL

- Prisma Process®, ISO gelcoat surface, discontinuous balsa block coring
- Solid, hand-laid fibreglass, ISO gelcoat surface, protective barrier coat
- 3rd generation inner fibreglass grid, high-load zones cut out and relaminated, drainage system through structure, special emergency repair zone in keel area
- **Sunsail striping and graphics**
- Anchor locker
- **Double stemhead anchor roller**
- Open bow pulpit (stainless steel)
- Stern pushpits in stainless steel with flag holder, horseshoe buoy with bracket
- **Outboard engine bracket**
- **Double uncoated lifelines (stainless steel) on starboard and port with opening gates**
- Toerail
- 6 x Aluminium mooring cleats
- Handrails on coachroof
- 8 x Fixed hull ports
- 2 x Opening cockpit and roof ports
- 6 x Lateral fixed windows
- 1 x Opening and 1 x fixed ports integrated into lateral windows
- 6 x Opening deck hatches
- Wood inlay on cockpit bench seating
- 2 x Cockpit lockers under bench seats and lazarette locker under port helm seat
- Lifteraft locker between helm seats
- Storage compartment for companionway door in cockpit locker
- Large aft fold-down swim platform with ladder
- **Large GRP cockpit table**
- Gas locker in lazarette under starboard helm seat, cut-off valve under stove
- 2 x Steering wheels, (stainless steel) handrail
- 2 x Mounted steering compasses
- Emergency tiller with fitting in cockpit floor
- Throttle and engine control panel mounted at starboard helm, engine panel includes RPM gauge, warning lights, ignition
- Fibreglass rudder
- **Shoal keel**
- **Bimini and dodger**
- **12v - 1000w Electric windlass with 10mm gypsy, hand control wired direct and cockpit chain counter**
- **Transom protection**

SALOON/INTERIOR

- Finished in Fine Teak laminate panels, trimmed in solid wood protected with UV stabilized varnish
- Headroom: 5'11" / 6'4" (1,81m / 1,92m)
- Light oak composite floorboards
- U-shaped seating area to starboard, wrap-around cushions and storage under seating area
- **Dining table converts to double berth**
- Storage cabinets along hull sides
- Lounge seating to port with plush cushions and upper storage
- **Companionway steps with molded non-slip surface**
- **Hasp on companionway hatch**
- Plexiglass companionway door with dedicated storage location
- **Faux leather saloon cushions**
- **Floor board edges are coated with resin to deter water damage**
- **Mosquito screens for portlights**

GALLEY

- Headroom in Galley: 6'3 / 1.91 m
- L-shaped galley to starboard with glass separator between galley counter and seating area
- Storage compartment for books and magazines built into the galley façade
- Double stainless steel sinks with covers, solid countertops, chrome plumbing fittings, storage cabinets and drawers
- **ENO 2-burner stove with black finish, wood handle, stainless steel oven/broiler**
- 12v refrigeration in single fridge box (180L / 47USgal) with freezer area, wire baskets and integrated compressor; top opening

- **Propane solenoid cut-off valve**

NAVIGATION CONSOLE

- Full function navigation station with general electrical panel and bookshelf
- Central nav desk with leatherette lining and interior storage

FORWARD CABIN

- Max headroom: 6' / 1,84m
- Double centerline berth with high-density foam mattress
- 1 x Deep cabinet with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf
- 1 x Opening deck hatch, for light and ventilation

PLUMBING INSTALLATION

- **Transom shower with hot and cold water mixer**
- Roto moulded water tank 330L / 87USgal under the forward berth with deck fill
- **Extra fresh water tank 130L / 34USgal**
- **40L / 10USgal hot water heater connected to engine heat exchanger and 110v electrical system**
- Hot and cold water distributed throughout the boat via semi-rigid hose
- Water pump and accumulator tank
- Electric bilge pump on float switch and manual dual-action pump in cockpit
- Digital water level display
- Shower pumps equipped with individual electric pumps with filters and on-off switches
- Bilge pump filter and exhaust

ENGINE & CONTROLS

- **Yanmar 4JH45 -- 45 hp common rail diesel engine with sail drive**
- 3-Blade fixed propeller
- Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin
- Fuel/water separator
- Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft
- 1 Rotomoulded diesel tank 200 L / 53 US Gal

MAST, RIGGING & SAILS

- **Custom heavy duty battened charter mainsail**
- **Charter upgrade, heavy duty furling genoa with red UV protection strips**
- **Stackpack LazyJack system in Sunsail blue with logo**
- Harken mainsail traveller with ball-bearing cars and control lines led aft to cockpit
- Genoa tracks on coachroof with adjustable lead cars
- Line stoppers on both sides of coachroof with return blocks
- 2 Self-tailing primary sheet winches (H46.2 STA)
- 2 Self-tailing halyard winches (H40.2 STC)
- Running rigging polyester topping lift, main halyard, genoa halyard, mainsheet, genoa sheets, reefing lines
- 2 x Reefing lines
- Mainsheet and genoa sheet led to helm station with stoppers
- **Classic anodized aluminum mast and boom with customized, reinforced fittings and double spreaders**
- Standing rigging is discontinuous wire 1 x 19
- Double backstay
- 2 x Winch handles
- Rigid boom vang
- **ProFurl furling system**
- **Windex wind vane**

ELECTRICAL INSTALLATION

- 110v / 220v circuit shore power, outlets, distributor - shore power cable wired direct
- 12 x 110v or 220v cabin outlets
- 12v / 125Ah alternator
- Charge distributor/isolator
- 1 x 110Ah engine starter battery
- **House battery bank -- 4 AGM batteries totalling 340ah**
- Positive battery switch for engine and house bank in aft cabin
- Electric panel with 12v breakers, 110v or 220v breakers, 12v consumption meter, 12v charging meter
- 12v plug per cabin and at nav station
- **LED lights throughout**
- **Battery charger 60amp**

- **Fusion Radio / Mp3 player + 2 interior speakers + 2 cockpit speakers**
- **LED Navigation lights**
- **1 x USB plug per cabin**
- **Shore power air conditioning**
- **9" Multifunction touchscreen display in cockpit (WIFI enabled)**
- **2 x Tridata**
- **1 x Autopilot control head**
- **Hydraulic linear drive autopilot**
- **Depth sounder & anemometer windvane**
- **Fans in saloon and all cabins**
- **VHF**
- **1 x 75w Solar panel**

FORWARD HEAD

- Private forward head compartment
- Solid surface countertop and moulded sink
- Pull out shower with fitting
- Clothes hook and towel bar
- Mirror
- Toilet paper holder
- Cabinet above sink
- Electric drainage pump
- **Large bowl electric marine toilet individual holding tank**

AFT CABINS

- Headroom: 6'4 / 1.95m
- Double berth with high-density foam mattress
- Deep cabinet with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf

AFT HEAD

- Access from saloon
- Solid surface countertop and moulded sink
- **Standing shower separated by a PMMA shower screen**
- Stainless steel hanging bar
- Clothes hook, towel holder and mirror
- Cabinet above sink
- Toilet paper holder
- Electric drainage pump
- **Large bowl electric marine toilet in with individual holding tank**

SAFETY GEAR

- **Primary (stainless steel) and secondary (galvanized) anchors**
- **6 x Fenders**
- **6 x Mooring / dock lines**
- **Life jackets and safety harnesses per max pax**
- **Bell**
- **Flare Kit**
- **Binoculars**
- **Navigation tools: Parallel rule, compass, dividers**

CRUISING GEAR

- **Plates, cups, saucers, glasses per max pax**
- **Bed linens per max pax**
- **Flatware per max pax**
- **Pots, pans, miscellaneous food prep tools**
- **Cooking and serving utensils**
- **Coffee pot, tea kettle, toaster**
- **Snorkeling gear per max pax**
- **Towels and washcloths**

SPECIFICATIONS

Length Overall: 12.34m/40ft 6in
Waterline Length: 11.00m/36ft 1in
Beam: 4.00m/13ft 1in
Draft: 1.55m/5ft 1in
Displacement: 7450kg/16424lb
Fuel Capacity: 200L/53gal
Water Capacity: 460L/121gal
Sail Area: 79sqm/848sqft
Engines: 45hp



The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party, and no liability will be accepted for errors contained within the same.